



Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier:

Trade name: RIW TOUGHSEAL ECO BASE BLACK

## 1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing. Identified uses advised against: No further relevant information available.

## 1.3 Details of the supplier of the safety data sheet:

## Manufacturer/supplier:

RIW Limited 487-488 Ipswich Road, Slough, Berkshire SL1 4EP

Tel: +44 (0)1753 944210

www.riw.co.uk

Further information obtainable from: enquiries@riw.co.uk

## 1.4 Emergency telephone number:

For Chemical Emergency: (Spill, Leak, Fire, Exposure or Accident) - Call CHEMTREC (Day/Night) on:

Within USA & Canada: 800-424-9300, Outside USA & Canada: +1 703-741-5970

National emergency telephone number: CHEMTREC UK +(44)-870-8200418

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture:

#### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2
Eye Irrit. 2
Skin Sens. 1
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements:

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

## Hazard pictograms





GHS07

GHS09

#### Signal word Warning

### Hazard-determining components of labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

Phenol, methylstyrenated

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane

(Contd. on page 2)

(Contd. of page 1)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

### Trade name: RIW TOUGHSEAL ECO BASE BLACK

Phenol, styrenated

#### **Hazard statements**

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

## 2.3 Other hazards:

#### Results of PBT and vPvB assessment:

**PBT:** Not applicable. **vPvB:** Not applicable.

Determination of endocrine-disrupting properties	
68512-30-1 Phenol, methylstyrenated	List II
61788-44-1 Phenol, styrenated	List II

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### **Description:**

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

roi furtilei illiofination, piease fefei	to the product technical data sheet.	
Dangerous components:		
CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-XXXX	bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 EUH205 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	_ 25-<30%
CAS: 68512-30-1 EINECS: 270-966-8 Reg.nr.: 01-2119555274-38-XXXX	Phenol, methylstyrenated Skin Irrit. 2, H315; Skin Sens. 1, H317 Aquatic Chronic 3, H412	- 10-<20%
CAS: 68609-97-2 EINECS: 271-846-8 Index number: 603-103-00-4 Reg.nr.: 01-2119485289-22-XXXX	oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317	_ 5-<10%
EC number: 701-263-0	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)] bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] bis(oxirane) and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl) oxirane  Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317	5-<10%
CAS: 61788-44-1 EINECS: 262-975-0 Reg.nr.: 01-2119980970-27-XXXX	Phenol, styrenated Aquatic Chronic 2, H411 Skin Irrit. 2, H315; Skin Sens. 1, H317	- 1-<3%

# **SECTION 4: First aid measures**

### 4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

(Contd. on page 3)

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

## Trade name: RIW TOUGHSEAL ECO BASE BLACK

(Contd. of page 2)

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

## 4.2 Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

# 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

## 5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

**6.2 Environmental precautions:** Inform respective authorities in case of seepage into water course or sewage system.

## 6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

## 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original packaging.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

Trade name: RIW TOUGHSEAL ECO BASE BLACK

(Contd. of page 3)

## 7.2 Conditions for safe storage, including any incompatibilities:

#### **STORAGE**

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## **8.1 Control parameters:**

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs		
61788-44-	61788-44-1 Phenol, styrenated	
Dermal	DNEL long term syst.	2.92 mg/kg bw/d (workers)
Inhalative	DNEL long term syst.	4.11 mg/m3 (workers)

Additional information: Based on the lists valid at the date of SDS creation.

#### **8.2 Exposure controls:**

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

#### **Respiratory protection:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

EN 143.

#### Hand protection

Protective gloves.

EN 374.

Material of gloves: Rubber gloves.

# Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

### Eye/face protection



Safety glasses with side shield protection.

EN 166.

(Contd. on page 5)

**Printing Date: 13.06.2023** Version Number: 1.0 Revision Date: 13.06.2023

Trade name: RIW TOUGHSEAL ECO BASE BLACK

(Contd. of page 4)

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties:

**GENERAL INFORMATION** 

Physical state Liquid. Black. Colour: Odour: Mild

**Odour threshold:** Not determined. Undetermined. **Melting point/freezing point:** Boiling point or initial boiling point and boiling range >200 °C Not applicable. **Flammability** 

Flammability Limits:

Lower and upper explosion limit

Lower: Not determined. Not determined. Upper: >150 °C Flash point:

**Method:** 

Ignition temperature: Not determined. Not determined. **Decomposition temperature:** Not determined. pН

VISCOSITY

Not determined. Kinematic viscosity **Dynamic:** Not determined. **Solubility** 

Water:

Not miscible or difficult to mix.

Partition coefficient n-octanol/water (log value) Not determined. Not determined. Vapour pressure:

Density and/or relative density

Density at 20 °C: 1.4 g/cm<sup>3</sup> Not determined. Vapour density: **Particle characteristics** Not applicable.

## 9.2 Other information:

Appearance:

Liquid. Form:

Important information on protection of health and

environment, and on safety:

Not determined. **Auto-ignition temperature:** 

Product does not present an explosion hazard.

**Explosive properties: SOLVENT CONTENT** 

VOC (EC): 5.00 %

Change in conditions:-

Not determined. **Evaporation rate:** Molecular weight Not determined.

Information with regard to physical hazard classes

**Explosives** Not applicable. Flammable gases Not classified. Not classified. Aerosols Not classified. Oxidising gases Not classified. Gases under pressure Flammable liquids Not classified. Flammable solids Not classified. Self-reactive substances and mixtures Not classified. **Pyrophoric liquids** Not classified. Pyrophoric solids Not classified. Not classified. Self-heating substances and mixtures

Substances and mixtures, which emit flammable gases in

Not classified. contact with water **Oxidising liquids** Not classified.

(Contd. on page 6)

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

Trade name: RIW TOUGHSEAL ECO BASE BLACK

Oxidising solids
Organic peroxides
Orgonic to metals
Desensitised explosives

Not classified.
Not classified.
Not classified.
Not classified.
Not classified.

## **SECTION 10: Stability and reactivity**

10.1 Reactivity: Amines, alkalines

## 10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

## 10.3 Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

**10.4 Conditions to avoid:** Protect from heat and direct sunlight.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ACUTE TOXICITY Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

#### 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

LC50, 96h 1.5 mg/l (fish)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## 11.2 Information on other hazards

Endocrine disrupting properties		
68512-30-1	Phenol, methylstyrenated	List II
61788-44-1	Phenol, styrenated	List II
556-67-2	octamethylcyclotetrasiloxane	List II, III

# **SECTION 12: Ecological information**

# 12.1 Toxicity:

**AQUATIC TOXICITY** No further relevant information available.

- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.

(Contd. on page 7)

**Printing Date: 13.06.2023** Version Number: 1.0 **Revision Date: 13.06.2023** 

Trade name: RIW TOUGHSEAL ECO BASE BLACK

(Contd. of page 6)

### 12.5 Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

**12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

## 12.7 Other adverse effects:

Remark: Toxic for fish

# ADDITIONAL ECOLOGICAL INFORMATION

**General notes:** 

Toxic for aquatic organisms.

Also poisonous for fish and plankton in water bodies.

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods:

#### **Recommendation:**



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue:		
	0 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS	
08 01 00	wastes from MFSU and removal of paint and varnish	
08 01 11*	11* waste paint and varnish containing organic solvents or other hazardous substances	

## UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR, IATA IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (2,2'-[(1-METHYLETHYLIDENE)BIS(4,1-PHENYLENEOXYMETHYLENE)]BISOXIRANE) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUII N.O.S. (2,2'-[(1-METHYLETHYLIDENE)BIS(4,1-PHENYLENEOXYMETHYLENE)]BISOXIRANE), MARINE POLLUTANT
14.3 Transport hazard class(es) ADR, IMDG, IATA	
Class Label	9 Miscellaneous dangerous substances and articles.
14.4 Packing group ADR, IMDG, IATA	III

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

Trade name: RIW TOUGHSEAL ECO BASE BLACK

	(Contd. of page 7)
14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user: Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Miscellaneous dangerous substances and articles. 90 F-A,S-F A
14.7 Maritime transport in bulk accordin IMO instruments	g to Not Regulated
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)  Transport category	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Tunnel restriction code Remarks:	(-) ≤5L, ADR Special Provision 375.
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Remarks: IATA Remarks:	≤5L, IMDG 2.10.2.7 ≤5L, IATA Special Provision 197.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 9)

Printing Date: 13.06.2023 Version Number: 1.0 Revision Date: 13.06.2023

Trade name: RIW TOUGHSEAL ECO BASE BLACK

(Contd. of page 8)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## Relevant phrases:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

#### **Department issuing SDS:**

Product Stewardship Department GCP Applied Technologies (UK) Limited 487/488 Ipswich Road, Slough, Berkshire SL1 4EP

Tel: +44 (0)1753 490 000

The first date of preparation: 13.06.2023

Number of revision times and the latest revision date: 1.0 / 13.06.2023

• GB